Case: 1:17-md-02804-DAP Doc #: 5169-4 Filed: 09/01/23 1 of 9. PageID #: 621943

# EXHIBIT C

### Case: 1:17-md-02804-DAP Doc #: 5169-4 Filed: 09/01/23 2 of 9. PageID #: 621944 Identification Logic of Opioid Abuse using HCPCS and ICD Diagnosis Codes

ICD CodeValues	HCPCS CodeValues	CODE DESCRIPTION
304		Opioid dependence
304.0		Opioid type dependence
304.00		Opioid type dependence, unspecified
304.01		Opioid type dependence, continuous
304.02		Opioid type dependence, episodic
304.03		Opioid type dependence, in remission
304.7		Combinations of opioid type drug with any other drug dependence
304.70		Combinations of opioid type drug with any other drug dependence, unspecified
304.71		Combinations of opioid type drug with any other drug dependence, continuous
304.72		Combinations of opioid type drug with any other drug dependence, episodic
304.73		Combinations of opioid type drug with any other drug dependence, in remission
305.5		Nondependent opioid abuse
305.50		Opioid abuse, unspecified
305.51		Opioid abuse, continuous
305.52		Opioid abuse, episodic
305.53		Opioid abuse, in remission
F11		Opioid related disorders
F11.1		Opioid abuse
F11.10		Opioid abuse, uncomplicated
F11.11		Opioid abuse, in remission
F11.12		Opioid abuse with intoxication
F11.120		Opioid abuse with intoxication, uncomplicated
F11.121		Opioid abuse with intoxication delirium
F11.122		Opioid abuse with intoxication with perceptual disturbance
F11.129		Opioid abuse with intoxication, unspecified
F11.14		Opioid abuse with opioid-induced mood disorder
F11.15		Opioid abuse with opioid-induced psychotic disorder
F11.150		Opioid abuse with opioid-induced psychotic disorder with delusions
F11.151		Opioid abuse with opioid-induced psychotic disorder with hallucinations
F11.159		Opioid abuse with opioid-induced psychotic disorder, unspecified
F11.18		Opioid abuse with other opioid-induced disorder
F11.181		Opioid abuse with opioid-induced sexual dysfunction
F11.182		Opioid abuse with opioid-induced sleep disorder
F11.188		Opioid abuse with other opioid-induced disorder
F11.19		Opioid abuse with unspecified opioid-induced disorder
F11.2		Opioid dependence
F11.20		Opioid dependence, uncomplicated
F11.21		Opioid dependence, in remission
F11.22		Opioid dependence with intoxication
F11.220		Opioid dependence with intoxication, uncomplicated
F11.221		Opioid dependence with intoxication delirium
F11.222		Opioid dependence with intoxication with perceptual disturbance

# Case: 1:17-md-02804-DAP Doc #: 5169-4 Filed: 09/01/23 3 of 9. PageID #: 621945 Identification Logic of Opioid Abuse using HCPCS and ICD Diagnosis Codes

F11.229	Opioid dependence with intoxication, unspecified
F11.23	Opioid dependence with withdrawal
F11.24	Opioid dependence with opioid-induced mood disorder
F11.25	Opioid dependence with opioid-induced psychotic disorder
F11.250	Opioid dependence with opioid-induced psychotic disorder with delusions
F11.251	Opioid dependence with opioid-induced psychotic disorder with hallucinations
F11.259	Opioid dependence with opioid-induced psychotic disorder, unspecified
F11.28	Opioid dependence with other opioid-induced disorder
F11.281	Opioid dependence with opioid-induced sexual dysfunction
F11.282	Opioid dependence with opioid-induced sleep disorder
F11.288	Opioid dependence with other opioid-induced disorder
F11.29	Opioid dependence with unspecified opioid-induced disorder
T40.0X1	POISONING BY OPIUM, ACCIDENTAL (UNINTENTIONAL)
T40.0X1A	POISONING BY OPIUM, ACCIDENTAL (UNINTENTIONAL), INIT ENCNTR
T40.0X1D	POISONING BY OPIUM, ACCIDENTAL (UNINTENTIONAL), SUBS ENCNTR
T40.0X1S	POISONING BY OPIUM, ACCIDENTAL (UNINTENTIONAL), SEQUELA
T40.0X2	POISONING BY OPIUM, INTENTIONAL SELF-HARM
T40.0X2A	POISONING BY OPIUM, INTENTIONAL SELF-HARM, INITIAL ENCOUNTER
T40.0X2D	POISONING BY OPIUM, INTENTIONAL SELF-HARM, SUBS ENCNTR
T40.0X2S	POISONING BY OPIUM, INTENTIONAL SELF-HARM, SEQUELA
T40.0X3	POISONING BY OPIUM, ASSAULT
T40.0X3A	POISONING BY OPIUM, ASSAULT, INITIAL ENCOUNTER
T40.0X3D	POISONING BY OPIUM, ASSAULT, SUBSEQUENT ENCOUNTER
T40.0X3S	POISONING BY OPIUM, ASSAULT, SEQUELA
T40.0X4	POISONING BY OPIUM, UNDETERMINED
T40.0X4A	POISONING BY OPIUM, UNDETERMINED, INITIAL ENCOUNTER
T40.0X4D	POISONING BY OPIUM, UNDETERMINED, SUBSEQUENT ENCOUNTER
T40.0X4S	POISONING BY OPIUM, UNDETERMINED, SEQUELA
T40.1	POISONING BY AND ADVERSE EFFECT OF HEROIN
T40.1X	POISONING BY AND ADVERSE EFFECT OF HEROIN
T40.1X1	POISONING BY HEROIN, ACCIDENTAL (UNINTENTIONAL)
T40.1X1A	POISONING BY HEROIN, ACCIDENTAL (UNINTENTIONAL), INIT ENCNTR
T40.1X1D	POISONING BY HEROIN, ACCIDENTAL (UNINTENTIONAL), SUBS ENCNTR
T40.1X1S	POISONING BY HEROIN, ACCIDENTAL (UNINTENTIONAL), SEQUELA
T40.1X2	POISONING BY HEROIN, INTENTIONAL SELF-HARM
T40.1X2A	POISONING BY HEROIN, INTENTIONAL SELF-HARM, INIT ENCNTR
T40.1X2D	POISONING BY HEROIN, INTENTIONAL SELF-HARM, SUBS ENCNTR
T40.1X2S	POISONING BY HEROIN, INTENTIONAL SELF-HARM, SEQUELA
T40.1X3	POISONING BY HEROIN, ASSAULT
T40.1X3A	POISONING BY HEROIN, ASSAULT, INITIAL ENCOUNTER
T40.1X3D	POISONING BY HEROIN, ASSAULT, SUBSEQUENT ENCOUNTER
T40.1X3S	POISONING BY HEROIN, ASSAULT, SEQUELA
T40.1X4	POISONING BY HEROIN, UNDETERMINED
T40.1X4A	POISONING BY HEROIN, UNDETERMINED, INITIAL ENCOUNTER
T40.1X4D	POISONING BY HEROIN, UNDETERMINED, SUBSEQUENT ENCOUNTER
T40.1X4S	POISONING BY HEROIN, UNDETERMINED, SEQUELA
T40.1X5	ADVERSE EFFECT OF HEROIN

# Case: 1:17-md-02804-DAP Doc #: 5169-4 Filed: 09/01/23 4 of 9. PageID #: 621946 Identification Logic of Opioid Abuse using HCPCS and ICD Diagnosis Codes

T40.1X5A	ADVERSE EFFECT OF HEROIN, INITIAL ENCOUNTER
T40.1X5D	ADVERSE EFFECT OF HEROIN, SUBSEQUENT ENCOUNTER
T40.1X5S	ADVERSE EFFECT OF HEROIN, SEQUELA
T40.1X6	UNDERDOSING OF HEROIN
T40.1X6A	UNDERDOSING OF HEROIN, INITIAL ENCOUNTER
T40.1X6D	UNDERDOSING OF HEROIN, SUBSEQUENT ENCOUNTER
T40.1X6S	UNDERDOSING OF HEROIN, SEQUELA
T40.2X1	POISONING BY OTHER OPIOIDS, ACCIDENTAL (UNINTENTIONAL)
T40.2X1A	POISONING BY OTH OPIOIDS, ACCIDENTAL (UNINTENTIONAL), INIT
T40.2X1D	POISONING BY OTH OPIOIDS, ACCIDENTAL (UNINTENTIONAL), SUBS
T40.2X1S	POISONING BY OTH OPIOIDS, ACCIDENTAL, SEQUELA
T40.2X2	POISONING BY OTHER OPIOIDS, INTENTIONAL SELF-HARM
T40.2X2A	POISONING BY OTH OPIOIDS, INTENTIONAL SELF-HARM, INIT ENCNTR
T40.2X2D	POISONING BY OTH OPIOIDS, INTENTIONAL SELF-HARM, SUBS ENCNTR
T40.2X2S	POISONING BY OTHER OPIOIDS, INTENTIONAL SELF-HARM, SEQUELA
T40.2X3	POISONING BY OTHER OPIOIDS, ASSAULT
T40.2X3A	POISONING BY OTHER OPIOIDS, ASSAULT, INITIAL ENCOUNTER
T40.2X3D	POISONING BY OTHER OPIOIDS, ASSAULT, SUBSEQUENT ENCOUNTER
T40.2X3S	POISONING BY OTHER OPIOIDS, ASSAULT, SEQUELA
T40.2X4	POISONING BY OTHER OPIOIDS, UNDETERMINED
T40.2X4A	POISONING BY OTHER OPIOIDS, UNDETERMINED, INITIAL ENCOUNTER
T40.2X4D	POISONING BY OTHER OPIOIDS, UNDETERMINED, SUBS ENCNTR
T40.2X4S	POISONING BY OTHER OPIOIDS, UNDETERMINED, SEQUELA
T40.3X1	POISONING BY METHADONE, ACCIDENTAL (UNINTENTIONAL)
T40.3X1A	POISONING BY METHADONE, ACCIDENTAL (UNINTENTIONAL), INIT
T40.3X1D	POISONING BY METHADONE, ACCIDENTAL (UNINTENTIONAL), SUBS
T40.3X1S	POISONING BY METHADONE, ACCIDENTAL (UNINTENTIONAL), SEQUELA
T40.3X2	POISONING BY METHADONE, INTENTIONAL SELF-HARM
T40.3X2A	POISONING BY METHADONE, INTENTIONAL SELF-HARM, INIT ENCNTR
T40.3X2D	POISONING BY METHADONE, INTENTIONAL SELF-HARM, SUBS ENCNTR
T40.3X2S	POISONING BY METHADONE, INTENTIONAL SELF-HARM, SEQUELA
T40.3X3	POISONING BY METHADONE, ASSAULT
T40.3X3A	POISONING BY METHADONE, ASSAULT, INITIAL ENCOUNTER
T40.3X3D	POISONING BY METHADONE, ASSAULT, SUBSEQUENT ENCOUNTER
T40.3X3S	POISONING BY METHADONE, ASSAULT, SEQUELA
T40.3X4	POISONING BY METHADONE, UNDETERMINED
T40.3X4A	POISONING BY METHADONE, UNDETERMINED, INITIAL ENCOUNTER
T40.3X4D	POISONING BY METHADONE, UNDETERMINED, SUBSEQUENT ENCOUNTER
T40.3X4S	POISONING BY METHADONE, UNDETERMINED, SEQUELA
T40.4	SYNTHETIC NARCOTICS
T40.41	FENTANYL OR FENTANYL ANALOGS
T40.411	POISONING BY FENTANYL OR FENTANYL ANALOGS, ACCIDENTAL
T40.411A	POISONING BY FENTANYL OR FENTANYL ANALOGS, ACCIDENTAL, INIT
T40.411D	POISONING BY FENTANYL OR FENTANYL ANALOGS, ACCIDENTAL, SUBS
T40.411S	POISONING BY FENTANYL OR FENTANYL ANALOGS, ACC, SEQUELA
T40.412	POISONING BY FENTANYL OR FENTANYL ANALOGS, SELF-HARM
T40.412A	POISONING BY FENTANYL OR FENTANYL ANALOGS, SELF-HARM, INIT

# Case: 1:17-md-02804-DAP Doc #: 5169-4 Filed: 09/01/23 5 of 9. PageID #: 621947 Identification Logic of Opioid Abuse using HCPCS and ICD Diagnosis Codes

T40.412D	POISONING BY FENTANYL OR FENTANYL ANALOGS, SELF-HARM, SUBS
T40.412S	POISN BY FENTANYL OR FENTANYL ANALOGS, SELF-HARM, SEQUELA
T40.413	POISONING BY FENTANYL OR FENTANYL ANALOGS, ASSAULT
T40.413A	POISONING BY FENTANYL OR FENTANYL ANALOGS, ASSAULT, INIT
T40.413D	POISONING BY FENTANYL OR FENTANYL ANALOGS, ASSAULT, SUBS
T40.413S	POISONING BY FENTANYL OR FENTANYL ANALOGS, ASSAULT, SEQUELA
T40.414	POISONING BY FENTANYL OR FENTANYL ANALOGS, UNDETERMINED
T40.414A	POISONING BY FENTANYL OR FENTANYL ANALOGS, UNDET, INIT
T40.414D	POISONING BY FENTANYL OR FENTANYL ANALOGS, UNDET, SUBS
T40.414S	POISONING BY FENTANYL OR FENTANYL ANALOGS, UNDET, SEQUELA
T40.415	ADVERSE EFFECT OF FENTANYL OR FENTANYL ANALOGS
T40.415A	ADVERSE EFFECT OF FENTANYL OR FENTANYL ANALOGS, INIT
T40.415D	ADVERSE EFFECT OF FENTANYL OR FENTANYL ANALOGS, SUBS
T40.415S	ADVERSE EFFECT OF FENTANYL OR FENTANYL ANALOGS, SEQUELA
T40.416	UNDERDOSING OF FENTANYL OR FENTANYL ANALOGS
T40.416A	UNDERDOSING OF FENTANYL OR FENTANYL ANALOGS, INIT
T40.416D	UNDERDOSING OF FENTANYL OR FENTANYL ANALOGS, SUBS
T40.416S	UNDERDOSING OF FENTANYL OR FENTANYL ANALOGS, SEQUELA
T40.42	POISONING BY, ADVERSE EFFECT OF AND UNDERDOSING OF TRAMADOL
T40.421	POISONING BY TRAMADOL, ACCIDENTAL (UNINTENTIONAL)
T40.421A	POISONING BY TRAMADOL, ACCIDENTAL (UNINTENTIONAL), INIT
T40.421D	POISONING BY TRAMADOL, ACCIDENTAL (UNINTENTIONAL), SUBS
T40.421S	POISONING BY TRAMADOL, ACCIDENTAL (UNINTENTIONAL), SEQUELA
T40.422	POISONING BY TRAMADOL, INTENTIONAL SELF-HARM
T40.422A	POISONING BY TRAMADOL, SELF-HARM, INITIAL ENCOUNTER
T40.422D	POISONING BY TRAMADOL, SELF-HARM, SUBSEQUENT ENCOUNTER
T40.422S	POISONING BY TRAMADOL, INTENTIONAL SELF-HARM, SEQUELA
T40.423	POISONING BY TRAMADOL, ASSAULT
T40.423A	POISONING BY TRAMADOL, ASSAULT, INITIAL ENCOUNTER
T40.423D	POISONING BY TRAMADOL, ASSAULT, SUBSEQUENT ENCOUNTER
T40.423S	POISONING BY TRAMADOL, ASSAULT, SEQUELA
T40.424	POISONING BY TRAMADOL, UNDETERMINED
T40.424A	POISONING BY TRAMADOL, UNDETERMINED, INITIAL ENCOUNTER
T40.424D	POISONING BY TRAMADOL, UNDETERMINED, SUBSEQUENT ENCOUNTER
T40.424S	POISONING BY TRAMADOL, UNDETERMINED, SEQUELA
T40.425	ADVERSE EFFECT OF TRAMADOL
T40.425A	ADVERSE EFFECT OF TRAMADOL, INITIAL ENCOUNTER
T40.425D	ADVERSE EFFECT OF TRAMADOL, SUBSEQUENT ENCOUNTER
T40.425S	ADVERSE EFFECT OF TRAMADOL, SEQUELA
T40.426	UNDERDOSING OF TRAMADOL
T40.426A	UNDERDOSING OF TRAMADOL, INITIAL ENCOUNTER
T40.426D	UNDERDOSING OF TRAMADOL, SUBSEQUENT ENCOUNTER
T40.426S	UNDERDOSING OF TRAMADOL, SEQUELA
T40.49	OTHER SYNTHETIC NARCOTICS
T40.491	POISONING BY OTHER SYNTHETIC NARCOTICS, ACCIDENTAL
T40.491A	POISONING BY OTHER SYNTHETIC NARCOTICS, ACCIDENTAL  POISONING BY OTHER SYNTHETIC NARCOTICS, ACCIDENTAL, INIT
T40.491D	POISONING BY OTHER SYNTHETIC NARCOTICS, ACCIDENTAL, INTI
140.4310	I OBOMING BY OTHER STRITTETIC NANCOTICS, ACCIDENTAL, SUBS

# Case: 1:17-md-02804-DAP Doc #: 5169-4 Filed: 09/01/23 6 of 9. PageID #: 621948 Identification Logic of Opioid Abuse using HCPCS and ICD Diagnosis Codes

T40.491S	POISONING BY OTHER SYNTHETIC NARCOTICS, ACCIDENTAL, SEQUELA
T40.492	POISONING BY OTHER SYNTHETIC NARCOTICS, SELF-HARM
T40.492A	POISONING BY OTHER SYNTHETIC NARCOTICS, SELF-HARM, INIT
T40.492D	POISONING BY OTHER SYNTHETIC NARCOTICS, SELF-HARM, SUBS
T40.492S	POISONING BY OTHER SYNTHETIC NARCOTICS, SELF-HARM, SEQUELA
T40.493	POISONING BY OTHER SYNTHETIC NARCOTICS, ASSAULT
T40.493A	POISONING BY OTHER SYNTHETIC NARCOTICS, ASSAULT, INIT
T40.493D	POISONING BY OTHER SYNTHETIC NARCOTICS, ASSAULT, INTI
T40.4935	
	POISONING BY OTHER SYNTHETIC NARCOTICS, ASSAULT, SEQUELA
T40.494 T40.494A	POISONING BY OTHER SYNTHETIC NARCOTICS, UNDETERMINED
	POISONING BY OTHER SYNTHETIC NARCOTICS, UNDETERMINED, INIT
T40.494D	POISONING BY OTHER SYNTHETIC NARCOTICS, UNDETERMINED, SUBS
T40.494S	POISONING BY OTHER SYNTHETIC NARCOTICS, UNDET, SEQUELA
T40.495	ADVERSE EFFECT OF OTHER SYNTHETIC NARCOTICS
T40.495A	ADVERSE EFFECT OF OTHER SYNTHETIC NARCOTICS, INIT
T40.495D	ADVERSE EFFECT OF OTHER SYNTHETIC NARCOTICS, SUBS
T40.495S	ADVERSE EFFECT OF OTHER SYNTHETIC NARCOTICS, SEQUELA
T40.496	UNDERDOSING OF OTHER SYNTHETIC NARCOTICS
T40.496A	UNDERDOSING OF OTHER SYNTHETIC NARCOTICS, INITIAL ENCOUNTER
T40.496D	UNDERDOSING OF OTHER SYNTHETIC NARCOTICS, SUBS
T40.496S	UNDERDOSING OF OTHER SYNTHETIC NARCOTICS, SEQUELA
T40.4X	SYNTHETIC NARCOTICS
T40.4X1	POISONING BY OTH SYNTHETIC NARCOTICS, ACCIDENTAL
T40.4X1A	POISONING BY OTH SYNTHETIC NARCOTICS, ACCIDENTAL, INIT
T40.4X1D	POISONING BY OTH SYNTHETIC NARCOTICS, ACCIDENTAL, SUBS
T40.4X1S	POISONING BY OTH SYNTHETIC NARCOTICS, ACCIDENTAL, SEQUELA
T40.4X2	POISONING BY OTH SYNTHETIC NARCOTICS, INTENTIONAL SELF-HARM
T40.4X2A	POISONING BY OTH SYNTHETIC NARCOTICS, SELF-HARM, INIT
T40.4X2D	POISONING BY OTH SYNTHETIC NARCOTICS, SELF-HARM, SUBS
T40.4X2S	POISONING BY OTH SYNTHETIC NARCOTICS, SELF-HARM, SEQUELA
T40.4X3	POISONING BY OTHER SYNTHETIC NARCOTICS, ASSAULT
T40.4X3A	POISONING BY OTHER SYNTHETIC NARCOTICS, ASSAULT, INIT ENCNTR
T40.4X3D	POISONING BY OTHER SYNTHETIC NARCOTICS, ASSAULT, SUBS ENCNTR
T40.4X3S	POISONING BY OTHER SYNTHETIC NARCOTICS, ASSAULT, SEQUELA
T40.4X4	POISONING BY OTHER SYNTHETIC NARCOTICS, UNDETERMINED
T40.4X4A	POISONING BY OTH SYNTHETIC NARCOTICS, UNDETERMINED, INIT
T40.4X4D	POISONING BY OTH SYNTHETIC NARCOTICS, UNDETERMINED, SUBS
T40.4X4S	POISONING BY OTH SYNTHETIC NARCOTICS, UNDETERMINED, SEQUELA
T40.4X5	ADVERSE EFFECT OF OTHER SYNTHETIC NARCOTICS
T40.4X5A	ADVERSE EFFECT OF OTHER SYNTHETIC NARCOTICS, INIT ENCNTR
T40.4X5D	ADVERSE EFFECT OF OTHER SYNTHETIC NARCOTICS, SUBS ENCNTR
T40.4X5S	ADVERSE EFFECT OF OTHER SYNTHETIC NARCOTICS, SEQUELA
T40.4X6	UNDERDOSING OF OTHER SYNTHETIC NARCOTICS
T40.4X6A	UNDERDOSING OF OTHER SYNTHETIC NARCOTICS, INITIAL ENCOUNTER
T40.4X6D	UNDERDOSING OF OTHER SYNTHETIC NARCOTICS, SUBS ENCNTR
T40.4X6S	UNDERDOSING OF OTHER SYNTHETIC NARCOTICS, SEQUELA
T40.601	POISONING BY UNSP NARCOTICS, ACCIDENTAL (UNINTENTIONAL)
<u>.                                      </u>	

# Case: 1:17-md-02804-DAP Doc #: 5169-4 Filed: 09/01/23 7 of 9. PageID #: 621949 Identification Logic of Opioid Abuse using HCPCS and ICD Diagnosis Codes

T40.601A		POISONING BY UNSP NARCOTICS, ACCIDENTAL, INIT
T40.601D		POISONING BY UNSP NARCOTICS, ACCIDENTAL, SUBS
T40.601S		POISONING BY UNSP NARCOTICS, ACCIDENTAL, SEQUELA
T40.602		POISONING BY UNSPECIFIED NARCOTICS, INTENTIONAL SELF-HARM
T40.602A		POISONING BY UNSP NARCOTICS, INTENTIONAL SELF-HARM, INIT
T40.602D		POISONING BY UNSP NARCOTICS, INTENTIONAL SELF-HARM, SUBS
T40.602S		POISONING BY UNSP NARCOTICS, INTENTIONAL SELF-HARM, SEQUELA
T40.603		POISONING BY UNSPECIFIED NARCOTICS, ASSAULT
T40.603A		POISONING BY UNSPECIFIED NARCOTICS, ASSAULT, INIT ENCNTR
T40.603D		POISONING BY UNSPECIFIED NARCOTICS, ASSAULT, SUBS ENCNTR
T40.603S		POISONING BY UNSPECIFIED NARCOTICS, ASSAULT, SEQUELA
T40.604		POISONING BY UNSPECIFIED NARCOTICS, UNDETERMINED
T40.604A		POISONING BY UNSP NARCOTICS, UNDETERMINED, INIT ENCNTR
T40.604D		POISONING BY UNSP NARCOTICS, UNDETERMINED, SUBS ENCNTR
T40.604S		POISONING BY UNSPECIFIED NARCOTICS, UNDETERMINED, SEQUELA
T40.691		POISONING BY OTHER NARCOTICS, ACCIDENTAL (UNINTENTIONAL)
T40.691A		POISONING BY OTH NARCOTICS, ACCIDENTAL (UNINTENTIONAL), INIT
T40.691D		POISONING BY OTH NARCOTICS, ACCIDENTAL (UNINTENTIONAL), SUBS
T40.691S		POISONING BY OTH NARCOTICS, ACCIDENTAL, SEQUELA
T40.692		POISONING BY OTHER NARCOTICS, INTENTIONAL SELF-HARM
T40.692A		POISONING BY OTH NARCOTICS, INTENTIONAL SELF-HARM, INIT
T40.692D		POISONING BY OTH NARCOTICS, INTENTIONAL SELF-HARM, SUBS
T40.692S		POISONING BY OTHER NARCOTICS, INTENTIONAL SELF-HARM, SEQUELA
T40.693		POISONING BY OTHER NARCOTICS, ASSAULT
T40.693A		POISONING BY OTHER NARCOTICS, ASSAULT, INITIAL ENCOUNTER
T40.693D		POISONING BY OTHER NARCOTICS, ASSAULT, SUBSEQUENT ENCOUNTER
T40.693S		POISONING BY OTHER NARCOTICS, ASSAULT, SEQUELA
T40.694		POISONING BY OTHER NARCOTICS, UNDETERMINED
T40.694A		POISONING BY OTHER NARCOTICS, UNDETERMINED, INIT ENCNTR
T40.694D		POISONING BY OTHER NARCOTICS, UNDETERMINED, SUBS ENCNTR
T40.694S		POISONING BY OTHER NARCOTICS, UNDETERMINED, SEQUELA
140.0343		
		Medication assisted treatment, methadone; weekly bundle including dispensing and/or
		administration, substance use counseling, individual and group therapy, and toxicology
	62067	testing, if performed (provision of the services by a medicare-enrolled opioid treatment
	G2067	program)
		Medication assisted treatment, buprenorphine (oral); weekly bundle including dispensing
		and/or administration, substance use counseling, individual and group therapy, and
		toxicology testing if performed (provision of the services by a medicare-enrolled opioid
	G2068	treatment program)
		Medication assisted treatment, buprenorphine (injectable); weekly bundle including
		dispensing and/or administration, substance use counseling, individual and group therapy,
		and toxicology testing if performed (provision of the services by a medicare-enrolled opioid
	G2069	treatment program)
		Medication assisted treatment, buprenorphine (implant insertion); weekly bundle including
		dispensing and/or administration, substance use counseling, individual and group therapy,
		and toxicology testing if performed (provision of the services by a medicare-enrolled opioid
	G2070	treatment program)
		1. 22

# Case: 1:17-md-02804-DAP Doc #: 5169-4 Filed: 09/01/23 8 of 9. PageID #: 621950 Identification Logic of Opioid Abuse using HCPCS and ICD Diagnosis Codes

	Medication assisted treatment, buprenorphine (implant removal); weekly bundle including
	dispensing and/or administration, substance use counseling, individual and group therapy,
	and toxicology testing if performed (provision of the services by a medicare-enrolled opioid
G2071	treatment program)
G2071	
	Medication assisted treatment, buprenorphine (implant insertion and removal); weekly
	bundle including dispensing and/or administration, substance use counseling, individual and
	group therapy, and toxicology testing if performed (provision of the services by a medicare-
G2072	enrolled opioid treatment program)
	Medication assisted treatment, naltrexone; weekly bundle including dispensing and/or
	administration, substance use counseling, individual and group therapy, and toxicology
	testing if performed (provision of the services by a medicare-enrolled opioid treatment
G2073	program)
G2073	
	Medication assisted treatment, weekly bundle not including the drug, including substance
	use counseling, individual and group therapy, and toxicology testing if performed (provision
G2074	of the services by a medicare-enrolled opioid treatment program)
	Medication assisted treatment, medication not otherwise specified; weekly bundle including
	dispensing and/or administration, substance use counseling, individual and group therapy,
	and toxicology testing, if performed (provision of the services by a medicare-enrolled opioid
G2075	treatment program)
	Intake activities, including initial medical examination that is a complete, fully documented
	physical evaluation and initial assessment by a program physician or a primary care
	physician, or an authorized healthcare professional under the supervision of a program
	physician qualified personnel that includes preparation of a treatment plan that includes the
	patient's short-term goals and the tasks the patient must perform to complete the short-
	term goals; the patient's requirements for education, vocational rehabilitation, and
	employment; and the medical, psycho-social, economic, legal, or other supportive services
	that a patient needs, conducted by qualified personnel (provision of the services by a
	medicare-enrolled opioid treatment program); list separately in addition to code for primary
G2076	procedure
G2070	'
	Periodic assessment; assessing periodically by qualified personnel to determine the most
	appropriate combination of services and treatment (provision of the services by a medicare-
G2077	enrolled opioid treatment program); list separately in addition to code for primary
	Take-home supply of methadone; up to 7 additional day supply (provision of the services by
	a medicare-enrolled opioid treatment program); list separately in addition to code for
G2078	primary procedure
	Take-home supply of buprenorphine (oral); up to 7 additional day supply (provision of the
62070	services by a medicare-enrolled opioid treatment program); list separately in addition to
G2079	code for primary procedure
	Each additional 30 minutes of counseling in a week of medication assisted treatment,
	(provision of the services by a medicare-enrolled opioid treatment program); list separately
G2080	in addition to code for primary procedure
	Office-based treatment for opioid use disorder, including development of the treatment
	plan, care coordination, individual therapy and group therapy and counseling; at least 70
G2086	minutes in the first calendar month
32000	
	Office-based treatment for opioid use disorder, including care coordination, individual
	therapy and group therapy and counseling; at least 60 minutes in a subsequent calendar
G2087	month

### Case: 1:17-md-02804-DAP Doc #: 5169-4 Filed: 09/01/23 9 of 9. PageID #: 621951 Identification Logic of Opioid Abuse using HCPCS and ICD Diagnosis Codes

	Office-based treatment for opioid use disorder, including care coordination, individual
	therapy and group therapy and counseling; each additional 30 minutes beyond the first 120
G2088	minutes (list separately in addition to code for primary procedure)
	Office-based treatment for opioid use disorder, including care coordination, individual
	therapy and group therapy and counseling; at least 60 minutes in a subsequent calendar
G2087	month
	Take home supply of nasal naxolone (provision of the services by a Medicare enrolled opioid
G2215	treatment program)
	Take home supply of injectable naxolone (provision of the services by a Medicare enrolled
G2216	opioid treatment program)
H0020	METHADONE ADMIN &OR SERVICE
J0364	INJECTION, APOMORPHINE HYDROCHLORIDE, 1 MG
J0570	Buprenorphine implant 74.2mg
J0571	Buprenorphine oral 1mg
J0572	Buprenorphine/naloxone, oral, UP TO 3MG
J0573	Buprenorphine implant, 74.2 mg; Physician office and Outpatient
	BUPRENORPHINE/NALOXONE, ORAL, GREATER THAN 6 MG, BUT LESS THAN OR EQUAL TO
J0574	10 MG BUPRENORPHINE
J0575	Buprenorphine/naloxone, oral, greater than 10 mg buprenorphine
J0592	INJECTION, BUPRENORPHINE HYDROCHLORIDE, 0.1 MG
J0595	Butorphanol tartrate 1 mg
J0745	INJECTION, CODEINE PHOSPHATE, PER 30 MG
J1170	INJECTION, HYDROMORPHONE, UP TO 4 MG
J1230	INJECTION, METHADONE HCL, UP TO 10 MG
J1960	levorphanol tartrate, up to 2 mg
J2175	INJECTION, MEPERIDINE HYDROCHLORIDE, PER 100 MG
J2180	meperidine and promethazine hcl, up to 50 mg
J2212	Methylnaltrexone injection
J2270	Morphine sulfate injection
J2271	INJECTION, MORPHINE SULFATE, 100MG
J2274	Inj morphine pf epid ithc
J2275	INJECTION, MORPHINE SULFATE (PRESERVATIVE-FREE STERILE SOLUTION), PER 10 MG
J2300	INJECTION, NALBUPHINE HYDROCHLORIDE, PER 10 MG
J2310	Injection, naloxone hydrochloride, per 1 mg
J2315	Injection, naltrexone, depot form, 1 mg
J2410	oxymorphone hcl, up to 1 mg
J3010	INJECTION, FENTANYL CITRATE, 0.1 MG
J3070	Pentazocine injection
J3490	Buprenorphine extended-release injection, for subcutaneous use (Sublocade)
Q9991	buprenorphine extended-release (sublocade), less than or equal to 100 mg
Q9992	buprenorphine extended-release (sublocade), greater than 100 mg
S0012	Butorphanol tartrate, nasal spray, 25 mg
S0092	Hydromorphone 250 mg
S0093	Morphine 500 mg
	,